# **Large Size Vacuum Module:**

# **ZR** Series

# **Ejector System/Vacuum Pump System**



- Large suction flow rate, suitable when used with large size pads or multiple pads.
- Nozzle dia. Ø1.0, Ø1.3, Ø1.5, Ø1.8, Ø2.0
- Vacuum module suitable for handling workpieces of 0.5 to 5 kg.




**SMC** 


631 A

# **ZR** Series

## Vacuum module suitable for handling workpieces of 0.5 to 5 kg.


- Modular design/Customized application function through selection of modular components.
- Modules for use with external vacuum supply (from pump or mainline) or as an air driven ejector system.
  - Safe Vacuum self-holding function by means of double solenoid valves.
    - **■** Compact, Lightweight
      - **■** Manifolding possible







Absorbing and transferring copper plates, Automatic labeling machine, Absorbing and transferring veneers, Automatic screw fastening machine

#### **Modular Components Introduction** System **Ejector System** Vacuum Pump System P. 634 to 663 P. 664 to 679 Component equipment Characteristics Ejector unit Nozzle dia. (mm) 1.0 1.3 1.5 1.8 2.0 ZR1-W Maximum suction Type S flow rate (L/min. [ANR]) 55 132 Air consumption (L/min [ANR]) 53 86 102 194 Maximum vacuum pressure S: -84 kPa L: -53 kPa Built-in silencer, Manifold exhaust Exhaust release (Ejector exhaust) Individual exhaust port Valve unit Supply valve (Pilot type)/Release valve (Pilot type) Component equipment ZR1-V Function Double SOL, N.C., N.O. Operation Solenoid valve (Double, Single)/Air operated valve Power supply voltage 3, 5, 6, 12, 24 VDC, 100, 110 VAC (50/60Hz) Pressure switch for vacuum Rated pressure range/Set pressure range 0 to -101 kPa ZSE2-0R-15/55 3% or less/variable ZR1-ZSE20A-□-□-00-□ Hysteresis 12 to 24 VDC (Ripple ±10% or less ) Operating voltage Suction filter unit Operating pressure range -0.1 to 0.5MPa ZR1-F Filtration degree 30 µm Material PVA sponge Function plate RV1 Air pressure supply (PV) port → Pilot pressure supply (PS) port → Release pressure supply (PD) port ZR1-RV Symbol RV2 Air pressure supply (PV) port ← → Pilot pressure supply (PS) port / Release pressure supply (PD) port Air pressure supply (PV) port / Pilot pressure supply (PS) port ←→Release pressure supply (PD) port RV3 Rc 1/8 Air supply port Vacuum pad connection port Rc 1/8 Air supply port 1/8 (Rc, NPTF, G) Common Pilot valve connection port specifications Release valve connection port Common exhaust port 1/2 (Rc. NPTF, G) Rc 1/8 External vacuum supply port










# **Large Size Vacuum Module: Ejector System**

# **ZR** Series

**Ejector + With Valve** 



#### How to Order



s

т

NPN open collector 2 outputs + Analog current output Note 1)

PNP open collector 2 outputs + Analog voltage output Note 1)

PNP open collector 2 outputs + Analog current output Note 1)

Note 1) Can be switched to auto-shift or copy function

or release valve

1 output

PNP open collector

1 output

No setting

Filter specifications (F)

Nil

# **Large Size Vacuum Module: Ejector System**

# **ZR** Series


Ejector + Without Valve



Note) Only the type with a pressure switch has CE/UKCA marking.



#### How to Order



	Nil	With unit switching function			
	M	SI unit only			
	Р	With unit switching function (Initial value psi)			
Note 1) This is no longer sold for use in Japan due to the Weig					

and Measure Act (implemented October, 1999). Note 2) Fixed unit: kPa

Pressure switch for vacuum (ZSE2) specifications (E) Nil No setting Filter specifications (F) No setting

#### Output specifications

Nil

NPN open collector 2 outputs + Copy function

	••	THE THE OPEN CONCOUNT & CORP (MINORIO)			
	Υ	PNP open collector 2 outputs + Copy function			
	R	NPN open collector 2 outputs + Analog voltage output Note 1)			
Г	S	NPN open collector 2 outputs + Analog current output Note 1)			
Г	Т	PNP open collector 2 outputs + Analog voltage output Note 1)			
Г	٧	PNP open collector 2 outputs + Analog current output Note 1)			

Note 1) Can be switched to auto-shift or copy function Nil

#### Digital pressure switch for vacuum (ZSE20A) specifications (D) Pressure switch for vacuum (ZSE2) specifications (E)

Nil	NPN open collector		
IVII	1 output		
55	PNP open collector		
ວວ	1 output		
ilter enecifications (F)			

No setting




#### Table (1) Combination of Supply Valve and Release Valve

Valv	e unit fund	ction	Valve unit o	components
Operation stop			Supply valve	Release valve
0	0	0	Double SOL. (SYJ3233-X126)	N.C. (SYJ3133)
0	0	0	N.C. (SYJ3133)	N.C. (SYJ3133)
0	0	0	Air operated (SYJA3130)	Air operated (SYJA3130)
×	0	0	N. (SYJ:	C. 3133)
×	0	0	Air op (SYJA	erated (3130)
×	0	0		O. 3133)
: Possib (without self-h	e : Possible with olding function) ×	n limitations :: Not possible	_	_

neie	elease valve						
		Supply valve	Release valve				
Symbol	Solenoi	d valve	Air operated	Solenoid valve	Air operated		
Зуппон	Double SOL.   N.C.   (SYJ3233-X126)   (SYJ3133)		(SYJA3130)	N.C. (SYJ3133)	(SYJA3130)		
K1	•	_	_	•	_		
K2	_	•	_	•	_		
КЗ	_	_	•	_	•		
C1	_	•	-	(Common with supply valve	-		
C2	_	_	•	_	(Common with supply valve		
СЗ	- •		_	(Common with supply valve)	_		
Nil	Without valve module						

#### Table (2) How to Order Valve Plug Connector Assembly




#### Lead wire length

Nil	300 mm (Standard)		
6	600 mm		
10	1000 mm		
15	1500 mm		
20	2000 mm		
25	2500 mm		
30 3000 mm			
50	5000 mm		

#### How to order

When requiring a vacuum unit equipped with valves with lead wires of 600 mm or more, specify the vacuum module valves without the standard connectors and order the required connector ass'ys separately.

#### Table (3) Pressure Switch for Vacuum/ Lead Wire with Connector



#### How to order

When requiring a vacuum switch with a lead wire of 5 m, indicate the part numbers of the vacuum unit switch without a lead wire connector and the 5 m lead wire connector separately.


#### Table (4) Digital Pressure Switch for Vacuum/ Lead Wire with Connector

\* Length 2 m, 5 cores

#### Ejector System/Combination of Supply Valve and Release Valve

### Combination Symbol: K1

Feature: Double solenoid supply valve allows for self-holding




#### **How to Operate**

Pilot valvo operation		y valve	Release valve	Note
operation	Pilot valve	Pilot valve	Pilot valve	
Operation	for supply	for supply stop	for release	When power supply is cut
Adsorption	ON	OFF	OFF	off while the supply valve is ON, the operational
2. Vacuum release	OFF	ON	ON	state is held.
3. Operation stop	OFF	ON	OFF	

#### Combination Symbol: K2

Feature: Single solenoid valve is provided for supply valve.




#### **How to Operate**

Pilot valve operation	Supply valve	Release valve	Note
Operation	Pilot valve for supply	Pilot valve for release	
Adsorption	ON		When power supply is stopped, all operations
2. Vacuum release	OFF	ON	will be stopped.
3. Operation stop	OFF	OFF	иш во окорроа:

## Combination Symbol: K3

Feature: Operation can be controlled by an external pilot valve.




#### How to Operate

Pilot valve operation	Supply valve	Release valve	Note	
Operation	Air operated a	Air operated b	The product is used under the	
Adsorption	ON	OFF	environment in which solenoi valves cannot be used or whe	
2. Vacuum release	OFF		the centralized control is applied	
3. Operation stop	OFF	OFF	using external pilot air.	
•				

#### Combination Symbol: C1

Feature: Adsorption of workpieces (when energized) and release of

vacuum (when de-energized) are switched by single solenoid valve.




#### **How to Operate**

	Supply valve/Release valve	Note
Operation	Pilot valve for supply/release	Be careful for blowing off of workpieces or
1. Adsorption	ON	displacement of adsorption position in case
2. Vacuum release	OFF	of small and/or lightweight workpieces.

#### Combination Symbol: C2

Feature: Adsorption of workpieces and release of vacuum are switched



#### **How to Operate**

Pilot valve	Supply valve/Release valve	Note
Operation	Air operated a	Be careful for blowing off of workpieces or
1. Adsorption	ON	displacement of adsorption position in case
2. Vacuum release	OFF	of small and/or lightweight workpieces.

#### Combination Symbol: C3

Feature: Adsorption of workpieces (when de-energized) and release of

#### How to Operate

		,,,	110		
	Pilot valve operation		Supply valve/Release valve	Note	
	Operation	UUII	Pilot valve for supply/release	Be careful for blowing off of workpieces or	
	Adsorption     Vacuum release		OFF	displacement of adsorption position in case	
			ON	of small and/or lightweight workpieces.	


#### **⚠** Caution


When pipe connection is made to one port connection (PV) port only, use a function plate (ZR1-RV1). Refer to page 637 for further information.

#### Function Plate/ZR1-RV□

A function plate is used when each connecting port for the valve unit is common. If a function plate is not used (standard), make individual pipe connections to PV, PS, and PD ports respectively.

#### Without Function Plate (Standard)







Pipe connection

#### With Function Plate/Applicable to Ejector System Only


#### When ZR1/RV1 (PV PS PD) is Selected




#### Circuit diagram




#### When ZR1/RV2 (PV PS/PD) is Selected



#### Circuit diagram



#### How to Order Function Plate Unit (For Ejector System)



#### **⚠** Caution

Length of assembling mounting threads varies when adding function plate. Order from the mounting thread parts list for unit combination on page 678. Order a plug (ZX1-MP1) separately in order to plug the PD and PS


Order a plug (ZX1-MP1) separately in order to plug the PD and P ports that are no longer used due to the addition of function plate.

#### How to order

\*ZR1-RV1 ------1 pc.



#### Construction



#### **Component Parts**

ĺ	No.	Description	Material	Part Model
	1	Manifold base	Aluminum alloy	
	2	Release flow rate adjusting needle	Stainless steel	ZR1-NA <sup>Note 2)</sup>
	3	Function plate	PBT	Refer to page 658.
	4	Individual spacer	PBT	Refer to page 658.
	5 <sup>Note 1)</sup>	Filter case	Polycarbonate	Refer to page 649.
	6	Pilot valve assembly	_	Refer to page 639.
	7	Valve body assembly	_	Refer to page 639.

No.	Description	Material	Part Model
8	Ejector assembly	_	Refer to page 639.
9	Silencer	PVA sponge	Refer to page 639.
10	Filter element	PVA sponge	ZR1-FZ(30 μm)
11	Pressure switch for	_	ZSE2-OR- <sup>15</sup> <sub>-55</sub> -□
-11	vacuum		ZR1-ZSE20A-□-□-00-□
12	Filter switch unit for replacement	_	ZR1-F□□□□-D

Note 1) Precautions on handling the filter case

- The case is made of polycarbonate. Therefore, do not contact it or expose it to the following chemicals: paint thinner, carbon tetrachloride, chloroform, acetic ester, aniline, cyclohexane, trichloroethylene, sulfuric acid, lactic acid, water soluble cutting oil (alkalinic), etc. 2. Do not expose it to direct sunlight.
- Note 2) Turning the release flow rate adjusting needle 2 full turns from the fully closed position renders the needle valve fully open. Do not turn more than two times since turning excessively may cause the needle fall off.

In order to prevent the needle from loosening and falling out, the release flow rate adjusting (ZR1-ND-L) lock nut is also available.

#### How to Order Solenoid Valves/Air Operated Valves

Air operated

#### **SYJA3130**



LO


M

MN

МО

G

н



For details on the SYJ3000 series, click here.



M plug connector

type

Grommet type

Without connector

Lead wire: 0.3 m

Without lead wires

Without connector

Lead wire: 0.3 m(Applies only to DC)


Lead wire: 0.6 m(Applies only to DC)




#### **ZR** Series

#### **How to Order Replacement Parts**


#### How to Order Valve Body Assembly



#### How to Order Ejector Assembly



#### Pressure Switch for Vacuum + Suction Filter Unit




- \* Refer to page 649 for detailed specifications of each code.
- \* Bracket is not included.


#### **How to Order Pilot Valves**

Combination	Compo	onents	Model
Symbol	Supply valve	Release valve	iviodei
K1	Double solenoid valve N.C. (SYJ3233)	Single solenoid valve N.C. (SYJ3133)	Refer to "How to Order" below. Supply: ZR1-SYJ3233-□□□□-X126 Release: SYJ3133-□□□□
(* *** ***)		Air operated	CVIANIAN


#### **Bracket assembly**




#### How to Order Silencer



Silencer assembly (Case, Element, Mounting screw)




Silencer case assembly for port exhaust (Case, Mounting screw)



Silencer case assembly for centralized exhaust (Case, Mounting screw)

For ZR120S3 For ZR120L3






#### Valve Unit : ZR1-V□□□□□□-□-□







Note) Combination of supply valve and release valve: K3, C2

The supply and release valves of this product have a structure which uses the pressure of the pilot pressure supply (PS) port to operate them. Be sure to supply a pressure that is the pressure of the pilot pressure supply (PS) port or more and 0.6 MPa or less to the pilot pressure supply (PA, PB) ports for supply and release.

5 to 50°C

#### Solenoid Valve/Specifications

Operating temperature range

Solenoid valve			SYJ3133-□□□□, SYJ3233-□□□□-X126
Rated voltage V	DC		24, 12, 6, 5, 3
nateu voitage v	AC 5	60/60 Hz	100, 110
Allowable voltage range			Rated voltage ±10%
Power consumption W	Power consumption W DC		0.35 (With indicator light: 0.4)
Ammarant names VA	AC	100 V	0.78 (With indicator light: 0.81)
Apparent power VA	AC	110 V	0.86 (With indicator light: 0.89)
Electrical entry			L/M plug connector, Grommet
Light/Surge voltage suppressor		r	Available, Not available (at grommet)
Manual operation			Non-locking push type, Locking slotted type


#### Combination of Supply Valve and Release Valve

Vacuum switch valve	Release valve	Weight (kg)
Double SOL. (SYJ3233-X126)	N.C. (SYJ3133)	0.34
N.C. (SYJ3133)	N.C. (SYJ3133)	0.27
Air operated (SYJA3130)	Air operated (SYJA3130)	0.194
N.C. (S	/J3133)	0.22
Air operated (SYJA3130)		
N.C. (SYJ3133)		
	Double SOL. (SYJ3233-X126) N.C. (SYJ3133) Air operated (SYJA3130) N.C. (SYJA3130) Air operated	Double SOL. (SYJ3233-X126)         N.C. (SYJ3133)           N.C. (SYJ3133)         N.C. (SYJ3133)           Air operated (SYJA3130)         Air operated (SYJA3130)           N.C. (SYJ3133)         Air operated (SYJA3130)

<sup>\*</sup> Weight includes Bracket B. (Solenoid valve: 24 VDC, M plug connector type)

#### **How to Order**

Refer to page 634 for further part no. information.



#### Ejector Unit/ZR1-W□□□-□



#### Model/Max. Vacuum Pressure -84 kPa (S: Standard type)

Model	Nozzle dia. (mm)	Maximum suction flow rate (L/min (ANR))	Air consumption (L/min (ANR))	Weight (With bracket) (kg)
ZR1-W10S□	1.0	25	53	0.132
ZR1-W13S□	1.3	42	86	0.134
ZR1-W15S□	1.5	63	102	0.136
ZR1-W18S□	1.8	74	155	0.154
ZR1-W20S□	2.0	95	194	0.156

#### Model/Max. Vacuum Pressure -53 kPa (L: Large flow type)


Model	Nozzle dia. (mm)	Maximum suction flow rate (L/min (ANR))	Air consumption (L/min (ANR))	Weight (With bracket) (kg)
ZR1-W10L□	1.0	44	53	0.133
ZR1-W13L□	1.3	55	86	0.133
ZR1-W15L□	1.5	88	102	0.135
ZR1-W18L□	1.8	105	155	0.155
ZR1-W20L□	2.0	132	194	0.154


#### **Common Specifications**

	Supply pressure range	0.2 to 0.55 MPa		
Г	Standard supply pressure	0.45 MPa		
	Operating temperature range	5 to 50°C		
	Model (Ejector exhaust method)*	Code 1: Built-in silencer — For unit and manifold		
	Model (Ejector exhaust method)	Code 2: Individual exhaust — For unit and manifold		

\* How to Order: Code 1 and 2 are the suffixes in the ordering number to indicate the exhaust method. Note) Operation outside of the specified supply pressure and operating temperature range may cause a serious accident or damage.

#### Symbol








#### **Characteristics (Representative value)**


#### Ejector Unit/Standard Type (S): Max. Vacuum Pressure -84 kPa


At 0.45 MPa















#### Ejector Unit/Large Flow Type (L): Max. Vacuum Pressure -53 kPa

At 0.45 MPa










#### ZR1-W15L1 Exhaust characteristics Flow rate characteristics -100 -100 \_80 -80 Air consumption (L/min (ANR)) Vacuum pressure (kPa) Vacuum pressure (kPa) Suction flow (L/min (ANR)) 50 -20 -20 20 0.1 0.2 0.3 0.4 0.5 40 60 80 100 Supply pressure (MPa) Suction flow (L/min)

#### How to Read Flow Rate Characteristics Graph




Flow rate characteristics are expressed in ejector vacuum pressure and suction flow. If suction flow rate changes, the vacuum pressure will also be changed. Normally this relationship is expressed in ejector standard use. In graph, Pmax is max. vacuum pressure and Omax is maximum suction flow. The values are specified according to catalog use. Changes in vacuum pressure are expressed in the below order.

- When ejector suction port is covered and made airtight, suction flow becomes 0 and vacuum pressure is at maximum value (Pmax).
- When suction port is opened gradually, air can flow through, (air leakage), suction flow increases, but vacuum pressure decreases. (condition P1 and Q1)
- 3. When suction port is opened further, suction flow moves to maximum value (Qmax), but vacuum pressure is near 0 (atmospheric pressure). Based on the above, when vacuum port (vacuum piping) has no leakage, vacuum pressure becomes maximum, and vacuum pressure decreases as leakage increases. When leakage value is the same as max, suction flow, vacuum pressure is near 0. In the case when ventirative or leaky work should be adsorbed, please note that vacuum pressure will not rise.



#### **ZR** Series





#### Nozzle Dia./ø1.0, ø1.3, ø1.5, ø1.8, ø2.0

#### Nozzle dia./ø1.0, ø1.3, ø1.5

#### ZR1-W 13 □ □ - □










#### Note) Dimensions marked with "\*1" are those after the bracket B is mounted. Bracket B part no.: ZR1-OBB

#### Nozzle dia./ø1.8, ø2.0 ZR1-W<sub>20</sub>□□-□








#### Pressure Switch Unit for Vacuum/Pressure Switch for Vacuum: ZSE2-0R-□□

Quick response: 10 mS

Compact size: 39H x 20W x 15D (except the connecting portion)

Improved wiring: Connector type

Uses a carrier diffusion semiconductor pressure sensor





#### Specifications

opositionic				
Pressure switch for vacuum part no.	ZSE2-0R-15□	ZSE2-0R-55□		
Fluid	A	Air		
Rated pressure range/Set pressure range	0 to -10	01 kPa		
Proof pressure	500	kPa		
Hysteresis	3% F.S. or l	ess (Fixed)		
Temperature characteristics (Based on 25°C)	± 3% F.S	i. or less		
Operating voltage	12 to 24 VDC (Rip	pple ±10% or less)		
Output	NPN Open collector 30 V, 80 mA	PNP Open collector 80 mA		
Indicator light	Lights up	when ON		
Current consumption	17 mA or less (who	en 24 VDC is ON)		
Proof pressure (Max. operating pressure)	0.5 N	1Pa*		
Operating temperature range	5 to 5	50°C		

<sup>\*</sup> When using ejector system, instantaneous pressure up to 0.5 MPa will not damage the switch.

(https://www.smcworld.com).

#### **How to Order**



# **Output specifications**

15	NPN Open collector	Nil	
13	30V 80mA	L	Grommet type
55	PNP Open collector	С	
33	80mA	CL	Connector type
		CN	

#### With Connector/How to Order

●Without lead wire (housing and 3 sockets)	ZS-10-A
With lead wire	ZS-10-5A-

Lead wire length

Note) When requiring a switch with lead wire of 5 m, indicate separately the model numbers of the connector type switch without lead wire and the connector assembly with 5 m lead wire.

Nil	0.6 m
30	3 m
50	5 m

Lead wire length 0.6 m Lead wire length 3 m Lead wire length 0.6 m Lead wire length 3 m W/o lead wire

Example)	ZSE2-0R-15CN	1	pc.
	ZS-10-5A-50 ·····	1	pc.

<sup>\*</sup> Refer to the WEB catalog for detailed specifications of pressure switches for vacuum.

Note 1) Operation outside of the maximum operating pressure and operating temperature range may cause a serious accident or damage.

Note 2) For details about wiring, refer to the Operation Manual that can be downloaded from our website

#### Pressure Switch Unit for Vacuum/Pressure Switch for Vacuum: ZSE2-0R-□□


#### Guidelines for Use of Pressure Switch Unit for Vacuum

# System circuit for work adsorption


#### Ejector type



#### Vacuum pump type




When pads and switches are common to one vacuum source, sometimes there is a possibility, depending on the number of adsorption and non-adsorption applications at each point in time, that the switches will not work within the range of set pressures due to pressure variations from the vacuum source. In particular, when small diameter nozzles are used for adsorption, the switches are greatly influenced by pressure variations. In order to remedy this situation, the following circuit is recommended.




- Adjust the throttle valve to reduce the pressure fluctuation between absorption and nonabsorption.
- Stabilize the source pressure by providing a tank and a vacuum regulator.
- If a vacuum switch valve is inserted into individual lines and false absorption occurs, each valve should be turned OFF to minimize the influences on other pads.

#### Pressure Switch for Vacuum: ZSE2-0R-□□




#### **How to Set Vacuum Pressure**

 Pressure trimmer selects the ON pressure.
 Clockwise rotation increases high vacuum set point.




•When using the switch to confirm correct absorption, the vacuum pressure is set to the minimum value to reliably absorb. If the value is set below the minimum, the switch will be turned ON even when adsorption has failed or is insufficient. If the pressure is set too high, the switch may not operate stably even though it may absorb correctly.



#### Hysteresis


Hysteresis is the actual pressure variance from set pressure occuring when the output signal turns from ON to OFF. The set pressure is the pressure selected to switch from OFF to ON mode.



#### **How to Use Connector**


#### 1. Attaching and detaching connectors

- When assembling the connector to the switch housing, push the connector straight onto the pins until the level locks into the housing slot.
- When removing the connector from the switch housing, push the lever down to unlock it from the slot and then withdraw the connector straight off of the pins.



#### 2. Crimping of lead wires and sockets

Strip 3.2 to 3.7 mm at the end of the lead wires, insert the ends of core wires evenly into the sockets, and then crimp with a crimping tool. When this is done, take care that the coverings of the lead wires do not enter the core wire crimping area. (Crimping tool: model no. DXT170-75-1)




#### 3. Attaching and detaching of socket to connector with lead wire

#### Attaching

Insert the sockets into the square holes of the connector (with +, 1, 2, -indication), and continue to push the sockets all the way end. (When they are pushed in their hooks open and they are locked automatically.) Then confirm that they are locked by pulling lightly on the lead wires.

#### Detaching

To detach a socket from a connector, pull out the lead wire while pressing the socket's hook with a stick having a thin tip (about 1 mm). If the socket will be used again, first spread the hook outward.



#### 

I Be sure to read this before han- I dling the products.

Refer to page 33 for safety instructions and pages 34 to 36 for vacuum equipment precautions.

#### Mounting

#### **⚠** Warning

## Do not give an excessive impact load.

Do not drop, bump or apply excessive impact (1000 m/s²) when handling. Even if the switch body is not damaged, the switch may suffer internal damage that will lead to malfunction.

## 2. Hold the product from the body side when handling.

When raising and moving the product, do not raise it by holding the lead wire only, but hold the body. It may cause malfunction due to broken contacts.



#### Vacuum Pressure Switch Unit/Digital Pressure Switch for Vacuum:ZR1-ZSE20A-□-□-00-□

**How to Order** 

Refer to the Web Catalog for details.





① Output specifications			
Х	X NPN open collector 2 outputs + Copy function		
Υ	PNP open collector 2 outputs + Copy function		
R	NPN open collector 2 outputs + Analog voltage output Note 1)		
S	NPN open collector 2 outputs + Analog current output Note 1)		
Т	PNP open collector 2 outputs + Analog voltage output Note 1)		

V PNP open collector 2 outputs + Analog current output Note 1) Note 1) Can be switched to auto-shift or copy function

3 Option (Connector/Lead wire specifications) Nil Without lead wire

Lead wire with connector (Length 2 m)

#### ② Display unit

- Nil With unit display switching function
- M Fixed SI unit
  P With unit display switching function (Initial value psi) Note 1) This is no longer sold for use in Japan due to the Weight and Measure Act (implemented October, 1999). Note 2) Fixed unit: kPa

#### **Specifications**

	707004 (1/1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1			
Model			ZSE20A (Vacuum pressure)	
Applicable fluid			Air, Non-corrosive gas, Non-flammable gas	
Pressure	Rated pressure range		0.0 to -101.0 kPa	
SS	Display/Set pressure range		10.0 to -105.0 kPa	
ĕ	Display/Smallest settable increment		0.1 kPa	
	Withstand pressure		500 kPa	
Power supply	Power supply voltage		12 to 24 VDC ±10%, Ripple (p-p) 10% or less	
§ ₫	Current consumption		35 mA or less	
ᆫᇙ	Protect		Polarity protection	
-ج	Display accuracy Repeatability		±2% F.S. ±1 digit (Ambient temperature of 25 ±3°C)	
Accuracy			±0.2% F.S. ±1 digit	
3		output accuracy	±2.5% F.S. (Ambient temperature of 25 ±3°C)	
Š		output linearity	±1% F.S.	
<u> </u>	Temperature characteristics		±2% F.S. (25°C standard)	
	Output		NPN or PNP open collector 2 outputs	
	Output		Hysteresis mode, Window comparator mode, Error output, Output OFF	
Ĭ		operation	Normal output, Reversed output	
북		ad current	80 mA	
Switch output		plied voltage (NPN only)	28 V	
들		oltage drop (Residual voltage)	1 V or less (at load current of 80 mA)	
<u> </u>	Delay t		1.5 ms or less (with anti-chattering function: 20, 100, 500, 1000, 2000, 5000 ms)	
တ	Hysteresis	Hysteresis mode	Variable from 0*2	
		Window comparator mode	12.12.12	
		circuit protection	Yes	
5		Output type	Voltage output: 1 to 5 V	
욕	output	Output impedance	Approx. 1 kΩ	
<u> </u>		Output type	Current output: 4 to 20 mA	
Analog output	Current		Maximum load impedance at power supply voltage of 12 V: 300 Ω at power supply voltage of 24 V: 600 Ω	
	Cutput		Minimum load impedance: 50 Ω	
Auto-shift input	Input type		Non-voltage input: 0.4 V or less	
ts-pd-	Input mode		Select from Auto-shift or Auto-shift zero.	
₹.=	Input time		5 ms or more	
	Unit*3		MPa, kPa, kgf/cm2, bar, psi, inHg, mmHg	
	Display	y type	LCD	
>	Numbe	er of screens	3-screen display (Main screen, Sub screen x 2)	
Display	Display	y color	1) Main screen: Red/Green 2) Sub screen: Orange	
ĕ	<u> </u>		1) Main screen: 4 digits (7 segments)	
	Number of display digits		2) Sub screen: 4 digits (7 segments) 2) Sub screen: 4 digits (Upper 1 digit 11 segments, 7 segments for other)	
	Indicator light		Lights up when switch output is turned ON. OUT1, OUT2: Orange	
Digital filter*4		4	0, 10, 50, 100, 500, 1000, 5000 ms	
	Enclosure		IP40	
e e	Withstand voltage		1000 VAC for 1 minute between terminals and housing	
stal	Insulation resistance		50 MΩ or more (500 VDC measured via megohmmeter) between terminals and housing	
Environmental resistance	Operating temperature range		Operating: -5 to 50°C, Stored: -10 to 60°C (No condensation or freezing)	
<u>ٿ</u> ۔	Operating humidity range		Operating/Stored: 35 to 85% RH (No condensation)	
Standards			CE/UKCA marking	
Length of lead wire with connector			2 m	
*1 Value without digital filter (at 0 ms)				

- \*1 Value without digital filter (at 0 ms)
- 2 If the applied pressure fluctuates around the set value, the hysteresis must be set to a value greater than the amount of fluctuation, or chattering will occur.
   3 Setting is only possible for models with the units selection function. Only MPa or kPa is available for models without this function.
- \*4 The response time indicates when the set value is 90% in relation to the step input.
- \* Products with tiny scratches, marks, or display color or brightness variations which do not affect the performance of the product are verified as conforming products.

\*The vacuum pressure switch mounted on this product is equivalent to our SMC product, the ZSE20A series compact digital pressure switch. ●Pressure switch correspondence table Large size vacuum module ZR series ZR1※※※-※※※※※・D □ □ □ -※ For details about vacuum pressure switch functions, refer to the ZSE20A Vacuum pressure switch (For ZR) series in the Web Catalog. Output specifications Unit specifications • Lead wire specifications



#### Pressure Switch for Vacuum + Suction Filter Unit: ZR1-F

Combination unit of vacuum pressure switch for vacuum pressure detection and suction filter to protect the unit from dust and contamination.




#### Filter case

- 1. The case is made of polycarbonate. Therefore, do not contact it or expose it to the following chemicals: paint thinner, carbon tetrachloride, chloroform, acetic ester, aniline, cyclohexane, trichloroethylene, sulfuric acid, lactic acid, water soluble cutting oil (alkalinic), etc.
- 2. Do not expose it to direct sunlight.

#### How to Replace Elements

When an element becomes clogged, adsorption performance and response times are degraded. Stop operation and replace element. (Element no. ZR1-FZ). Please ensure that gasket is in slot before re-installation.



#### Specification

- P			
Unit no.		ZR1-F□□□□-□	
	Rated pressure range/Set pressure range	-100 to 100 kPa	
Suction	Proof pressure	500 kPa	
filter	Operating temperature range	5 to 50°C	
	Filtration degree	30 μm	
Filtration material		PVA sponge	
Pressure switch for vacuum		Refer to pages 645 and 648-1 regarding pressure switch for vacuum.	

Note) If not operated within the specified range of pressure and temperature, trouble may be caused.

#### Combination of Pressure Switch for Vacuum and Suction Filter

Combination symbol	Suction filter	Pressure switch for vacuum	Weight (with bracket A) (kg)	
E	•	ZSE2	0.15	
D	•	ZSE20A	0.24	
F	•	_	0.15	

#### How to Order

ZR1 - F

Combination of pressure switch/filter Digital pressure switch for vacuum ח (ZSE20A) + Filter F Pressure switch for vacuum (ZSE2) + Filter F Filter

\*The filter mounted on the product is a simplified one. When used in an environment with a lot of dust, the built-in filter is likely to be clogged soon. The use with the ZFA, ZFB and ZFC series is recommended

#### Output specifications

Digital pressure switch for vacuum (ZSE20A) specifications (D) NPN open collector 2 outputs + Copy function Х PNP open collector 2 outputs + Copy function NPN open collector 2 outputs + Analog voltage output Note 1) R s NPN open collector 2 outputs + Analog current output Note 1) PNP open collector 2 outputs + Analog voltage output Note 1) PNP open collector 2 outputs + Analog current output Note 1)

Note 1) Can be switched to auto-shift or copy function

#### Pressure switch for vacuum (ZSE2) specifications (E)

Nil	NPN open collector 1 output
55	PNP open collector 1 output

#### Filter specifications (F)

Nil No setting

#### How to order

When requiring a switch with lead wire of 5 m, indicate separately the model numbers of a pressure switch unit for vacuum without a lead wire connector and the 5 m lead wire connector.

Ex.) ZR1 -- -- 1 pc. ZS-10-5A-50 ····· ...... 2 pcs.

#### Bracket A Nil With Bracket A

N Without Bracket A

#### Lead wire specifications Digital pressure switch for vacuum

(ZSE20A) specifications (D)

Nil Without lead wire Lead wire with connector (5 cores lead wire, 2 m) Refer to "Table (2)" for part no. of lead wire with

Pressure switch for vacuum (ZSE2) specifications (E) Nil Grommet/Lead wire (Length 0.6 m)

Grommet/Lead wire (Length 3 m) Lead wire with connector (Length 0.6 m) Lead wire with connector (Length 3 m) CN Without lead wire with connector

Refer to "Table (1)" for part numbers for lead wire with connector

#### Filter specifications (F) Nil No setting

Unit specifications Digital pressure switch for vacuum (ZSE20A) specifications (D)

	Nil	With unit switching function
	M	SI unit only
	Р	With unit switching function (Initial value psi)

Note 1) This is no longer sold for use in Japan due to the Weight and Measure Act (implemented October, 1999).

Note 2) Fixed unit: kPa

Pressure switch for vacuum (ZSE2) specifications (E) Nil No setting

Filter specifications (F) Nil No setting

(1) Lead wire length for pressure switch for vacuum connector assembly

ZS-10-5A-

30

50

Lead wire length Nil 0.6 m 3 m

5 m

(2) Lead wire length for digital pressure switch for vacuum connector assembly


ZS-46-5L

\* Length 2 m, 5 cores





#### Pressure Switch for Vacuum + Suction Filter Unit: ZR1-F□□□□-

#### Dimensions: ZR1-F



# Circuit diagram ZSE20A V V PD ×





Note) Dimensions marked with "\*1" are those after the bracket A is mounted.

Bracket A part no.: ZR1-OBA



#### Suction Filter: ZR1-FX-□

# ZR1-FX is to be used alone and cannot be combined with other units.




# Filter case A Caution

- The case is made of polycarbonate. Therefore, do not use it with or expose it to the following chemicals: paint thinner, carbon tetrachloride, chloroform, acetic ester, aniline, cyclohexane, trichloroethylene, sulfuric acid, lactic acid, water soluble cutting oil (alkaline), etc.
- 2. Do not expose it to direct sunlight.

#### Specification


•		
Model	ZR1-FX-□	
Operating pressure range	-0.1 to 0.5 MPa	
Operating temperature range	5 to 50°C	
Filtration efficiency	30 μm	
Element	PVA sponge	
Weight (With bracket)	0.1 kg	


#### **How to Order**




#### Dimensions: ZR1-FX-□

#### Circuit diagram








Note) Dimensions marked with "\*1" are those after the bracket C is mounted. Bracket C part no.: ZR1-OBC

# Large Size Vacuum Module: **ZR Series**




142.5

**SMC** 

(2000)



ZR118 - 1-K1 - M - - - - - - - - -




Note) Dimensions marked with "\*1" are those after the bracket A is mounted.
Bracket A part no.: ZR1-OBA

#### A: Release flow adjusting needle with lock nut











#### ZR1<sup>18</sup>20-1-K1-M--D------


# WLU-DUU-U-U




# A: Release flow adjusting needle with lock nut









<sup>★</sup> Dimensions not indicated are identical to the drawings on page 652.






## Nozzle dia./ø1.8, ø2.0

ZR1<sup>18</sup><sub>20</sub> - 1-K1 - M - - - - -










Note) Dimensions marked with "\*1" are those after the bracket B is mounted.


Bracket B part no.: ZR1-OBB


<sup>★</sup> Dimensions not indicated are identical to the drawings above.

## **ZR** Series





### Nozzle dia./ø1.8, ø2.0 ZR1<sup>18</sup>□1-E□□-□

















## ZR1<sup>18</sup><sub>20</sub> 1-D ...









#### Ejector System/Manifold Specifications



#### **Specifications**

Max. number of units	Max. 6 stations
Port	Port size
Common air pressure supply (PV) port	1/8 (Rc, NPTF, G)
Common pilot pressure supply (PS) port	M5
Common release pressure supply (PD) port	M5
Common exhaust (EXH.) port	1/2 (Rc, NPTF, G)

Weight (Manifold bases only) Basic mass for one station is 0.28 kg. Additional mass per one station is 0.12 kg.

(1) When using 3 or more stations with ZR120□□ manifold, utilize PV port as supply port on both sides.
(2) When using 3 or more stations with ZR120□ 3 manifold, utilize EXH port as exhaust port on both sides.

Manifold Air Supply

Manifold		Left			Right	
Supply port location Port	PV	PS	PD	PV	PS	PD
L (Left side)	0	0	0	•	•	•
R (Right side)	•	•	•	0	0	0
B (Both sides)	0	0	0	0	0	0


Air supply to O port

S


BLANK plug attached to 
port


Note) BLANK plug is attached on all ports of valve unit.

#### **How to Order Manifold**



When it is not added, the manifold base and ejector are shipped separately.







#### A: Release flow adjusting needle with lock nut

, **E** 

(Needle fully open)







\* The common exhaust (EXH.) port is also used as the pilot pressure exhaust (PE) port of the pilot valve. Use while the port is open to the atmosphere.

						(mm)
Symbol Stations	1	2	3	4	5	6
L1	52	85	118	151	184	217
L2	71	104	137	170	203	236

#### Circuit diagram





PV: Air pressure supply port

PS: Pilot pressure supply port

PD: Release pressure supply port

PE: Pilot pressure exhaust port


EXH.: Exhaust port

V: Vacuum Port












#### A: Release flow adjusting needle with lock nut

9

(Needle fully open)









\* The common exhaust (EXH.) port is also used as the pilot pressure exhaust (PE) port of the pilot valve. Use while the port is open to the atmosphere.

						(111111)
Symbol Stations	1	2	3	4	5	6
L1	52	85	118	151	184	217
L2	71	104	137	170	203	236



#### Circuit diagram





**PV:** Air pressure supply port **PS:** Pilot pressure supply port

PD: Pilot pressure supply port
PE: Pilot pressure supply port
PE: Pilot pressure exhaust port

EXH.: Common exhaust port

V: Vacuum Port




# Large Size Vacuum Module: Vacuum Pump System

## **ZR** Series





#### How to Order



NPN open collector 1 output

PNP open collector 1 output

No setting

55


Filter specifications (F)

#### Table (1) Valve Unit/Combination of Vacuum Switch Valve and Release Valve

able (1) valve officeoffibiliation of vacuu						
Valv	e unit fund	tion	Valve unit o	components		
Operation stop	Vacuum adsorption	Vacuum release	Supply valve	Release valve		
0	0	0	Double SOL. (SYJ3233-X126)	N.C. (SYJ3133)		
0	0	0	N.C. (SYJ3133)	N.C. (SYJ3133)		
0	0	0	Air operated (SYJA3130)	Air operated (SYJA3130)		
×	0	0	N. (SYJ:	C. 3133)		
×	0	0		erated 3130)		
×	0	0		O. 3133)		
: Possibl (without self-h	e : Possible with olding function) ×	limitations : Not possible	_	_		

	Supply valve		Releas	e valve				
Solenoid valve		Air operated	Solenoid valve	Air operated				
Double SOL. (SYJ3233-X126)	N.C (SYJ3133)	(SYJA3130)	N.C (SYJ3133)	(SYJA3130)				
•	-	_	•	_				
-	•	_	•	_				
_	_	•	-	•				
_	•	_	(Common with supply valve)	_				
_	_	•	_	(Common with supply valve)				
-	•	_	(Common with supply valve)	_				
	Double SOL.	Solenoid valve  Double SOL. N.C	Solenoid valve Air operated  Double SOL. N.C (SV 142120)	Solenoid valve				

#### Table (2) How to Order Valve Plug Connector Assembly




#### Lead wire length

Leau wire lengtii •					
Nil	300 mm (Standard)				
6	600 mm				
10	1000 mm				
15	1500 mm				
20	2000 mm				
25	2500 mm				
30	3000 mm				
50	5000 mm				

#### How to order

When requiring a vacuum unit equipped with valves with lead wires of 600 mm or more, specify the vacuum module valves without the standard connectors and order the required connector ass'ys separately.

#### Table (3) Pressure Switch for Vacuum/ Lead Wire with Connector



#### How to order

When requiring a vacuum switch with a lead wire of 5 m, indicate the part numbers of the vacuum unit switch without a lead wire with connector and the 5 m lead wire connector separately.


#### Table (4) Digital Pressure Switch for Vacuum/ Lead Wire with Connector

\* Length 2 m, 5 cores

#### Vacuum Pump System/Combination of supply valve and release valve

## Combination Symbol : K1

Feature : Double solenoid vacuum valve allows for self-holding.




#### **How to Operate**

Pilot valve operation	Supply	/ valve	Release valve	Note
	Pilot valve	Pilot valve	Pilot valve	14/1
Operation	for supply	for supply stop	for release	When power supply is cut
Adsorption	ON	OFF	OFF	off while the supply valve is ON, the operational
2. Vacuum release	OFF	ON	ON	state is held.
3. Operation stop	OFF	ON	OFF	otato io riola.

## Combination Symbol : K2

Feature: Single solenoid valve is provided for vacuum valve.




#### **How to Operate**

Pilot valve operation	Supply valve	Release valve	Note
		Pilot valve for release	When power supply is
Adsorption	ON		stopped, all operations
2. Vacuum release	OFF	ON	will be stopped.
3. Operation stop	OFF	OFF	иш во окорроа.

## Combination Symbol : K3

Feature: Operation can be controlled by an external pilot valve.




#### **How to Operate**

Pilot valve operation	Supply valve	Release valve	Note
Operation	Air operated a	Air operated b	The product is used under the
1. Adsorption	ON	OFF	environment in which solenoid
2. Vacuum release	OFF	ON	valves cannot be used or when the centralized control is applied
3. Operation stop	OFF	OFF	using external pilot air.

## Combination Symbol : C1

Feature: Adsorption of workpieces (when energized) and release of vacuum (when de-energized) are switched by single solenoid valve.




#### **How to Operate**

Pilot valve operation	Supply valve/Release valve	Note
Operation	Pilot valve for supply/release	Be careful for blowing off of workpieces or
1. Adsorption		displacement of adsorption position in case
2. Vacuum release	OFF	of small and/or lightweight workpieces.

## Combination Symbol : C2

Feature: Adsorption of workpieces and release of vacuum are switched by an external pilot valve.




#### **How to Operate**

Pilot valve operation	Supply valve/Release valve	Note
Operation	Air operated a	Be careful for blowing off of workpieces or
1. Adsorption		displacement of adsorption position in case
2. Vacuum release	OFF	of small and/or lightweight workpieces.

## Combination Symbol : C3

Feature: Adsorption of workpieces (when de-energized) and release of vacuum (when energized) are switched by the single solenoid



#### **How to Operate**

Pilot valve operation	Supply valve/Release valve	Note		
Operation	Pilot valve for supply/release	Be careful for blowing off of workpieces or		
Adsorption		displacement of adsorption position in case		
2. Vacuum release	ON	of small and/or lightweight workpieces.		

#### 

When pipe connection is made to two port connections (PV) port, (PD) port only, use a function plate (ZR1-RV3). Refer to page 667 for further information.

#### Function Plate : ZR1-RV3


A function plate is used when each connecting port for the valve unit is common. If a function plate is not used (standard), make individual pipe connections to PV, PS, and PD ports respectively.

#### Without Function Plate (Standard)

Applicable system: Ejector system
External vacuum supply system

Pipe connection


#### Example of circuit diagram



#### With Function Plate/Applicable to Vacuum Pump System Only


#### When ZR1-RV3 (PV/PS⇔PD) is Selected

Since compressed air is necessary to operate pilot valve in vacuum pump system, supply air to PD port (or PS port).




Pipe connection

#### Example of circuit diagram



#### How to Order Function Plate Unit (For Pump System)



#### How to order

Indicate the model numbers of the vacuum module and the function plate.

Example) ZR100-K15MZ-E ······· 1 \* ZR1-RV3 ······ 1

#### **⚠** Caution

Length of assembling mounting threads varies when adding function plate later.

Order from the mounting thread parts list for unit combination on page 679.

Order a plug (ZX1-MP1) separately in order to plug the PD and PS ports that are no longer used due to the addition of function plate.

#### Valve Unit : ZR1-V□□□□□-□-□



#### Specifications

Valve unit part no.	ZR1-V□□□□□-□-□			
Components	Supply valve Release valve			
Operating method	Pilot operated Pilot operated			
Combination of supply valve and release valve	Refer to the combination of supp	ly valve and release valve below.		
Supply pressure range of air pressure/vacuum pressure supply (PV) port	-0.1 to 0.6 MPa (PS	port pressure or less)		
Supply pressure range of release pressure supply (PD) port	ort 0.05 to 0.6 MPa (PS port pressure or less)			
Supply pressure range of pilot pressure supply (PS) port	rt 0.25 to 0.6 MPa			
Supply pressure range of pilot pressure supply (PA, PB) ports for supply and release Note)	PS port pressure to 0.6 MPa			
Main valve effective area (mm²)	8.2	0.96		
Main valve effective area (Cv)	0.45 0.053			
Maximum operating frequency	5 Hz			
Operating temperature range	5 to 50°C			
Standard	Bracket B (ZR1-OBB)			

Note) Combination of supply valve and release valve: K3, C2

The supply and release valves of this product have a structure which uses the pressure of the pilot pressure supply (PS) port to operate them. Be sure to supply a pressure that is the pressure of the pilot pressure supply (PS) port or more and 0.6 MPa or less to the pilot pressure supply (PA, PB) ports for supply and release.

#### Solenoid Valve/Specifications

Solonola valvo/opeoineatione						
Solenoid valve			SYJ3133-□□□□, SYJ3233-□□□□-X126			
Rated voltage V	DC		24, 12, 6, 5, 3			
nateu voltage v	AC 5	60/60 Hz	100, 110			
Allowable voltage range			Rated voltage ±10%			
Power consumption W DC			0.35 (With indicator light: 0.4)			
A	AC	100 V	0.78 (With indicator light: 0.81)			
Apparent power VA	AC	110 V	0.86 (With indicator light: 0.89)			
Electrical entry		•	L/M plug connector, Grommet			
Light/Surge voltage suppressor			Available, Not available (at grommet)			
Manual operation			Non-locking push type, Locking slotted type			


#### Combination of Supply Valve and Release Valve

Combination symbol	Vacuum switch valve	Release valve	Weight (kg)
K1	Double SOL. (SYJ3233-X126)	N.C. (SYJ3133)	0.34
K2	N.C. (SYJ3133)	N.C. (SYJ3133)	0.27
K3	Air operated (SYJA3130)	Air operated (SYJA3130)	0.194
C1	N.C. (S'	YJ3133)	0.22
C2	Air operated	(SYJA3130)	0.174
C3	N.C. (S'	0.21	

<sup>\*</sup> Weight includes Bracket B. (Solenoid valve: 24 VDC, M plug connector type)

#### **How to Order**

Refer to page 664 for further part no. information.



#### Vacuum Pressure Switch Unit/Digital Pressure Switch for Vacuum : ZR1-ZSE20A-□-□-00-□

Refer to page 647-1 for further specifications.



#### Vacuum Pressure Switch : ZSE2-0R-□□





Refer to page 645 for further specifications.

#### **Specifications**

Pressure switch for vacuum part no.	ZSE2-0R-15□	ZSE2-0R-55□			
Fluid	A	Air			
Rated pressure range/Set pressure range					
Proof pressure					
Hysteresis	3% F.S. or less (Fixed)				
Temperature characteristics (Based on 25°C)	± 3% F.S. or less				
Operating voltage	12 to 24 VDC (Rip	pple ±10% or less)			
Output	NPN Open collector 30 V, 80 mA	PNP Open collector 80 mA			
Indicator light	Lights up	when ON			
Current consumption	17 mA or less (when 24 VDC is ON)				
Proof pressure (Max. operating pressure)	Proof pressure (Max. operating pressure) 0.5 MPa*				
Operating temperature range	5 to 5	50°C			

<sup>\*</sup> When using the ejector system, instantaneous pressure up to 0.5 MPa will not damage the switch.

#### Pressure Switch for Vacuum/Suction Filter Unit : ZR1-F□□□□-□





#### Specifications

	Unit no.	ZR1-F□□□□-□		
Suction	Rated pressure range/Set pressure range	-100 to 0.5 MPa		
filter	Operating temperature range	5 to 50°C		
ilitei	Filtration degree	30 μm		
Filtration material		PVA sponge		
Pressure switch for vacuum		Refer to pages 645 and 648 regarding pressure switch for vacuum.		

Note) Operation outside of the operating pressure and operating temperature rangemay cause a serious accident or damage.

#### Filter case

#### 

- ① The case is made of polycarbonate. Therefore, do not use it with or expose it to the following chemicals: paint thinner, carbon tetrachloride, chloroform, actetic ester, antiline, cyclohexane, trichloroethylene, sulfuric acid, lactic acid, watersoluble cuting oil (alkalinic), etc.
- 2 Do not expose it to direct sunlight.

#### Suction Filter : ZR1-FX-

Refer to page 649 for further specifications.



#### Refer to page 651 for further specifications.

#### **Specifications**

	Model	ZR1-FX-□		
	Operating pressure range	-0.1 to 0.5 MPa		
	Operating temperature range	5 to 50°C		
	Filtration efficiency Filter media	30 μm		
		PVA sponge		
	Weight (with bracket)	0.1 kg		

Note) Operation outside of the operating pressure and operating temperature rangemay cause a serious accident or damage.

#### Filter case


#### 

- ① The case is made of polycarbonate. Therefore, do not contact it or expose it to the following chemicals: paint thinner, carbon tetrachloride, chloroform, acetic ester, aniline, cyclohexane, trichloroethylene, sulfuric acid, lactic acid, watersoluble cutting oil (alkalinic), etc.
- 2 Do not expose it to direct sunlight.



Note) Operation outside of the maximum operating pressure and operatingtemperature range may cause a serious accident or damage.

#### Construction



#### **Components Parts**

No.	Description	Material	Part model
1	Manifold base	Aluminum alloy	
2	Release flow rate adjusting needle	Stainless steel	Refer to ZR1-NANote 2)
3	Function plate	PBT	Refer to page 674.
4	Individual spacer	PBT	Refer to page 674.
(5) <sup>(1)</sup>	Filter case	Polycarbonate	Refer to page 648.
6	Pilot valve assembly	_	Refer to Table (1)
7	Valve body assembly	_	Refer to Table (2)
8	Filter element	PVA sponge	ZR1-FZ (30 μm)
(9)	Pressure switch for		ZSE2-OR-55-
9	vacuum	_	ZR1-ZSE20A 00-
10	Filter switch unit for replacement	_	ZR1-F 🗆 🗆 🗆 – D

Note 1) Precautions on handling the filter case

The caudions of made of polycarbonate. Therefore, do not contact it or expose it to the following chemicals: paint thinner, carbon tetrachloride, chloroform, acetic ester, aniline, cyclohexane, trichloroethylene, sulfuric acid, lactic acid, water soluble cutting oil (alkalinic), etc.


2. Do not expose it to direct sunlight.

Note 2) Turning the release flow rate adjusting needle 2 full turns from the fully closed position renders the needle valve fully open. Do not turn more than two times since turning excessively may cause the needle fall off. In order to prevent the needle from loosening and falling out, a release flow rate adjusting needle (ZR1-ND-L) with lock nut is available.

#### Table (1) How to Order Pilot Valves


	Symbol	Comp	onents	Model	
l	Syllibol	Supply valve Release valve		Wiodei	
		Double solenoid Single solenoid		Refer to "How to Order" below.	
ı	K1	valve N.C.		Supply:ZR1-SYJ3233 X126	
l		(SYJ3233)	(SYJ3133)	Release:ZR1-SYJ3133-	
Ī	КЗ	Air operated	Air operated	SYJA3130	
	N3	N.C. (SYJA3130) N.C. (SYJA3130)		S1JA3130	

#### Table (2) How to Order Valve Body Assembly



Refer to page 663 for further symbol specifications. Bracket is not included

#### Table (3) Pressure Switch for Vacuum (ZSE20A) + Suction Filter Unit




Refer to page 648-1 for further symbol specifications.

#### How to Order Solenoid Valves/Air Operated Valves


Air operated

#### **SYJA3130**




Note) Mounting screw and pilot valve gasket are included.







**SMC** 

## **ZR** Series



★ Dimensions not indicated are identical to type K2.







## needle with lock nut



(Needle fully open)





<sup>★</sup> Dimensions not indicated are identical to the drawings above.



#### Manifold Specifications/Vacuum Pump System



#### **Specifications**

Max. number of units	6 stations		
Port	Port size		
Common vacuum pressure supply (PV) port	1/8 (Rc, NPTF, G)		
Common pilot pressure supply (PS) port	M5		
Common release pressure supply (PD) port	M5		
Common exhaust (EXH) port	1/2 (Rc, NPTF, G)		
Weight (Manifold bases only)	Basic mass for one station is 0.28kg. Additional mass per one station is 0.12 kg.		

Note) When using 3 or more stations with ZR100 manifold, utilize PV port as suction on both sides.

#### Manifold Vacuum/Air Supply

Manifold	Left			Right				
Supply port location Port	PV	PS	PD	PV	PS	PD		
L (Left side)	0	0	0	•	•	•		
R (Right side)	•	•	•	0	0	0		
R (Roth sides)	0	0		0				


Vacuum supply to ⊘ PV port. Air supply to ⊘ port.

BLANK plug attached to 

port.

Note) BLANK plug is attached on all ports of valve unit.

#### **How to Order Manifold**



Note) The thread ridge shape is compatible with the G thread standard (JIS B 0202), but other shapes are not conforming to ISO16030 and ISO1179.

Example 1)
ZZR106-R ...... 1 pc. (Manifold base only)
\*ZR100-K15MZ-EC ..... 5 pcs. (Unit)

<Function plate>

Arrangement ← (Right valve station which is looked from valve side is first station.)

1 1 station only
: : :
6 6 stations only
A All stations

\* When the spacers are attached to the specified locations, specify all spacers.

Example 2) Attached to the first and third stations

\*ZR1-RV3-1 \*ZR1-RV3-3

Example 3) Attached to all stations.

\*ZR1-RV3-A...2

Fill the number

## 


The asterisk denotes the symbol for assembly. Prefix it to


the ejector part numbers to be mounted.

When it is not added, the manifold base and pump system

are shipped separately.

## **ZR** Series







\* The pilot exhaust air from the pilot valve is exhausted from the common exhaust (EXH.) port. Use with the port open to the atmosphere.

						(mm)
Symbol Stations	1	2	3	4	5	6
L1	52	85	118	151	184	217
L2	71	104	137	170	203	236

#### Circuit diagram





PV: Vacuum pressure supply port

PS : Common pilot pressure supply port

PD : Common release pressure supply port

PE : Pilot valve exhaust port


EXH: Common exhaust port


V: Vacuum Port


## **ZR** Series

## **Ejector System**


#### **Mounting Thread Parts List for Unit Combination**














#### **Mounting Thread Parts List for Unit Combination**

viou	illing Tilleau Farts List for O	ili Combination
No.	Combination specifications	Assembly part numer
1	Standard (without options)	ZR1-SR2-33-A(a set of six threads
	With function plate	ZR1-SR2-39-A(a set of six threads
2	Individual, common and port exhaust type for nozzle size 10, 13	ZR1-SR1-13-A(a set of two threads
	Common and port exhaust type for nozzle size 15	Zni-oni-1o-A(a set oi two tilleaus
	Individual exhaust type for nozzle size 15	ZR1-SR1-23-A(a set of two threads
	Common and port exhaust type for nozzle size 18, 20	ZR1-SR1-48-A(a set of two threads
	Individual exhaust type for nozzle size 18, 20	ZR1-SR1-53-A(a set of two thread
3	For vacuum switch and adapter A	ZR1-SR2-41-1A(a set of two threads
4	For nozzle size 10, 13, 15	ZR1-SR2-17-A(a set of two threads
	For nozzle size 18, 20	ZR1-SR2-21-A(a set of two threads
5	For nozzle size 10, 13, 15	ZR1-SR2-66-A(a set of four thread
	For nozzle size 18, 20	ZR1-SR2-70-A(a set of four thread
	For nozzle size 10, 13, 15 [For ZSE20A spec.]	ZR1-SR2-82-A(a set of four thread
	For nozzle size 18, 20 [For ZSE20A spec.]	ZR1-SR2-86-A(a set of four thread
6	For nozzle size 10, 13, 15	ZR1-SR2-35-A(a set of six thread
	For nozzle size 18, 20	ZR1-SR2-39-A(a set of six thread
7	Standard (without options)	ZR1-SR2-5-A(a set of six thread:
8	For nozzle size 10, 13, 15	ZR1-SR3-19-1A(a set of two thread
	For nozzle size 18, 20	ZR1-SR3-23-A(a set of two thread
	For nozzle size 10, 13, 15 + with function plate	ZR1-SR3-24-1A(a set of two thread
	For nozzle size 18, 20 + with function plate	ZR1-SR3-28-A(a set of two thread
	For nozzle size 10, 13, 15	ZR1-SR3-68-A(a set of four thread
9	For nozzle size 18, 20	ZR1-SR3-72-A(a set of four thread
	For nozzle size 10, 13, 15 + with function plate	ZR1-SR3-73-A(a set of four thread
	For nozzle size 18, 20 + with function plate	ZR1-SR3-77-A(a set of four thread
	For nozzle size 10, 13, 15 [For ZSE20A spec.]	ZR1-SR3-84-A(a set of four thread
	For nozzle size 18, 20 [For ZSE20A spec.]	ZR1-SR3-88-A(a set of four thread
	For nozzle size 10, 13, 15 + with function plate [For ZSE20A spec.]	ZR1-SR3-89-A(a set of four thread
	For nozzle size 18, 20 + with function plate [For ZSE20A spec.]	ZR1-SR3-93-A(a set of four thread
10	For nozzle size 10, 13, 15	ZR1-SR3-37-A(a set of six thread
	For nozzle size 18, 20	ZR1-SR3-41-A(a set of six thread
	For nozzle size 10, 13, 15 + with function plate	ZR1-SR3-42-A(a set of six thread
	For nozzle size 18, 20 + with function plate	ZR1-SR3-46-A(a set of six thread
Note 1) 11	When the ejector is compatible with silencer exhaust or port exhaust	BA00601(M12 x 12)
	When the ejector is compatible with common exhaust	Unnecessary

Note 1) • BA00601 (M12 x 12 screws/Hexagon socket head set screws) in until the head aligns with the manifold base surface.

 The manifold base not assembled with the unit does not include BA00601. Please order them separately.

Note 2) When the valve unit is assembled from a single unit function to a manifold function, 3 pcs. of ZX1-MP1 for PS, PD, PE ports and 1 pc. of TB00148 for PV port are required.

## ⚠ Precautions


Be sure to read this before handling the products.
Refer to page 33 for safety instructions and pages 1 34 to 36 for vacuum equipment precautions.

#### 


Refer to the Vacuum Equipment Model Selection on page 11 for precautions on matching with vacuum circuit.

## **Vacuum Pump System**


### Mounting Thread Parts List for Unit Combination





Valve unit



Components







#### **Mounting Thread Parts List for Unit Combination**

Combination specifications	Assembly part numer
Standard (Without options)	ZR1-SR2-33-A(a set of six threads)
With function plate	ZR1-SR2-39-A(a set of six threads)
For vacuum switch and adapter A	ZR1-SR2-41-1A(a set of two threads)
Standard (Without options)	ZR1-SR2-5-A(a set of six threads)
Standard (Without options)	ZR1-SR2-49-A(a set of four threads)
Standard (Without options) [For ZSE20A spec.]	ZR1-SR2-66-A(a set of four threads)
Standard (Without options)	ZR1-SR2-18-A(a set of six threads)
Standard (Without options)	ZR1-SR2-33-1A(a set of two threads)
With function plate	ZR1-SR2-39-1A(a set of two threads)
Standard (Without options)	ZR1-SR3-54-A(a set of four threads)
With function plate	ZR1-SR3-59-A(a set of four threads)
Standard (Without options) [For ZSE20A spec.]	ZR1-SR3-70-A(a set of four threads)
With function plate [For ZSE20A spec.]	ZR1-SR3-75-A(a set of four threads)
Standard (Without options)	ZR1-SR3-19-A(a set of six threads)
With function plate	ZR1-SR3-24-A(a set of six threads)
Standard	BA00601(M12 x 12)
	Combination specifications Standard (Without options) With function plate For vacuum switch and adapter A Standard (Without options) With function plate Standard (Without options) With function plate Standard (Without options) With function plate Standard (Without options) With function plate Standard (Without options) With function plate

Note 1) • BA00601 (M12 x 12 screws/Hexagon socket head set screws) in until the head aligns with the manifold base surface.

The manifold base not assembled with the unit does not include

BA00601. Please order them separately.

Note 2) When the valve unit is assembled from a single unit function to a manifold function, 3 pcs. of ZX1-MP1 for PS, PD, PE ports and 1 pc. of TB00148 for PV port are required.



## ZR Series **Specific Product Precautions 1**

Be sure to read this before handling the products. Refer to page 33 for safety instructions and pages 34 to 36 for vacuum equipment precautions.


#### Vacuum Switch (ZSE20A)

## **⚠** Warning


1. The following diagram shows the internal circuits of the vacuum switch as well as wiring examples. Incorrect wiring could cause malfunction or failure. leading to an electric shock or fire.

#### For Vacuum pressure switch (ZSE2)

#### NPN open collector (1 output)




#### PNP open collector (1 output)




#### For Digital pressure switch for vacuum (ZSE20A)

#### NPN (2 outputs) + Copy function




#### PNP (2 outputs) + Copy function




-R: NPN (2 outputs) + Analog voltage output -S: NPN (2 outputs) + Analog current output







#### -T: PNP (2 outputs) + Analog voltage output -V: PNP (2 outputs) + Analog current output





-R: NPN (2 outputs) + Auto-shift input





-T: PNP (2 outputs) + Auto-shift input






-R: NPN (2 outputs) + Copy function

#### -S: NPN (2 outputs) + Copy function



-T: PNP (2 outputs) + Copy function -V: PNP (2 outputs) + Copy function





## ZR Series Specific Product Precautions 3

Be sure to read this before handling the products.

Refer to page 33 for safety instructions and pages 34 to 36 for vacuum equipment precautions.

#### Conversion Cable for the ZSE30A Lead Wire with Connector

## **⚠** Caution

The pressure switch (ZSE20A) lead wire with a connector is not interchangeable with the existing product (lead wire with connector for the ZSE30A).

Therefore, in order to connect the ZSE20A using the lead wire with a connector for the existing ZSE30A, the conversion cable shown below is required.


The conversion cable to be used varies depending on the existing pressure switch (ZSE30A) output specifications.

· Existing pressure switch (ZSE30A) output specification symbols


For N, P, A, B: ZS-46-5LA-X424

For C, D, E, F: ZS-46-5LB-X424

#### ZS-46-5LA-X424



#### ZS-46-5LB-X424



\* While this conversion cable allows for use of the existing wiring, output and functions other than that of the ZSE30A will be invalid (not wired).